



**4X4 ACCESSORIES**



**DATE:**

April 2010

**FROM:**

ARB Marketing

**DESCRIPTION:**

Deluxe Winch Bumper

**APPLICATION:**

Land Rover Defender 90, 110 & 130  
2009 on models

**PART NO:**

3932400

**FITTING:**

1.5 hours

**AVAILABILITY DATE:**

April 2010



# PRODUCT SPEC SHEET

## DESIGN AND DEVELOPMENT:

The 2009 on Land Rover Defender winch bumper is a complete redesign to specifically suit the vehicle. Although similar in appearance to a Sahara bar, the winch bumper features no options for fog lights or the alloy centre tube. With upswept, stepped wings that ensure approach angles are optimised and a split pan that allows maximum airflow to the engine, this bar offers more modern styling in a practical design.

Due to variations that are found in individual vehicles, the mounting system has been redesigned to enable the fitter to position the bar in the best possible place before final assembly. And although this product has been designed primarily for 2009 on models, it will also suit all Defenders models from 1985 on.

## PROTECTION CHARACTERISTICS:

This bar utilises an all steel construction for maximum strength. The multi-fold wing section and split pan design provide the bar with a massive amount of durability, and owners can be assured that this product will provide a formidable amount of vehicle protection for the Defender.

## WINCH COMPATIBILITY:

The following winches are compatible with the winch bull bars:

- Warn low mount models: XD9000, M10000, M12000, XP9500 & XDC9500
- Magnum low mount model: 9K

## ADDITIONAL FEATURES:

- Compatible with IPF lights up to the 800 & 900 series (including Xtreme Sport & HID)
- Hi-Lift jacking points are located on either side of the centre pan
- Two CB aerial brackets on outer wing panels
- Recessed parking lights
- Features integrated tow points in the Hi-Lift jack recesses

Finish: durable powder coat that provides a perfect base for colour coding

## INSTALLATION:

The bar is supplied with all the fixtures that are required for its successful installation. These include:

- All mounting bolts
- Parking lamps
- Detailed fitting instructions with step by step photographs
- For a list of tools that are required to perform the installation, please refer to the fitting instructions

A separate winch fitment kit is available as an optional extra containing the bracket to facilitate the mounting of the winch control box onto the bull bar, and all other necessary items.

Approximate fitting time: 1.5 hours

For more information, please refer to the fitting instructions.

The information contained in the advice was correct at the time of writing. ARB Corporation Limited and its associated companies reserve the right to alter any specification without notice. Always consult your ARB authorised distributor for the latest information on products and specifications.

## PRODUCT IMAGES:



Integrated tow point in Hi-Lift jacking mount allows fitment of 4.75t bow shackle upright



Aerial mount holes in top wing panels



Includes factory style jacking point



Close fitting design retains maximum approach angle