ARB AIR LOCKER Air Operated Locking Differentials

6.2		SHIM KIT SPECI	FICATIONS	
SHK001				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	95.8mm [3.77"]	76.1mm [3.00"]
SHIM	2	0.30mm [0.012"]	95.8mm [3.77"]	76.1mm [3.00"]
SHIM	2	0.15mm [0.006"]	95.8mm [3.77"]	76.1mm [3.00"]
SHIM	2	0.10mm [0.004"]	95.8mm [3.77"]	76.1mm [3.00"]
SHK003				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	73.0mm [2.87"]	63.1mm [2.48"]
SHIM	2	0.30mm [0.012"]	73.0mm [2.87"]	63.1mm [2.48"]
SHIM	2	0.15mm [0.006"]	73.0mm [2.87"]	63.1mm [2.48"]
SHIM	2	0.10mm [0.004"]	73.0mm [2.87"]	63.1mm [2.48"]
SHK005				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	89.7mm [3.53"]	74.2mm [2.92"]
SHIM	2	0.30mm [0.012"]	89.7mm [3.53"]	74.2mm [2.92"]
SHIM	2	0.15mm [0.006"]	89.7mm [3.53"]	74.2mm [2.92"]
SHIM	2	0.10mm [0.004"]	89.7mm [3.53"]	74.2mm [2.92"]
Of IIM	2	0.101111 [0.004]	00.711111 [0.00]	/ 4 .2000 [2.02]
SHK006				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	104.4mm [4.11"]	76.1mm [3.00"]
SHIM	2	0.30mm [0.012"]	104.4mm [4.11"]	76.1mm [3.00"]
SHIM	2	0.15mm [0.006"]	104.4mm [4.11"]	76.1mm [3.00"]
SHIM	2	0.10mm [0.004"]	104.4mm [4.11"]	76.1mm [3.00"]
SHK008				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	1.50mm [0.059"]	77.5mm [3.05"]	68.2mm [2.69"]
SHIM	2	0.80mm [0.031"]	77.5mm [3.05"]	68.2mm [2.69"]
SHIM	2	0.30mm [0.012"]	77.5mm [3.05"]	68.2mm [2.69"]
SHIM	2	0.15mm [0.006"]	77.5mm [3.05"]	68.2mm [2.69"]
SHIM	2	0.10mm [0.004"]	77.5mm [3.05"]	68.2mm [2.69"]
SHK009				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	82.5mm [3.25"]	70.0mm [2.76"]
SHIM	2	0.30mm [0.012"]	82.5mm [3.25"]	70.0mm [2.76"]
SHIM	2	0.15mm [0.006"]	82.5mm [3.25"]	70.0mm [2.76"]
SHIM	2	0.10mm [0.004"]	82.5mm [3.25"]	70.0mm [2.76"]
SHK011				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	87.7mm [3.45"]	76.0mm [2.99"]
	2	0.30mm [0.012"]	87.7mm [3.45"]	76.0mm [2.99"]
SHIM				[••]
SHIM SHIM	2	0.15mm [0.006"]	87.7mm [3.45"]	76.0mm [2.99"]



ARB AIR LOCKER Air Operated Locking Differentials

SHK012				
DESCRIPTION	QTY	THICKNESS	OUTSIDE DIA.	INSIDE DIA.
SHIM	2	0.80mm [0.031"]	112.2mm [4.42"]	97.0 [3.82"]
SHIM	2	0.30mm [0.012"]	112.2mm [4.42"]	97.0 [3.82"]
SHIM	2	0.15mm [0.006"]	112.2mm [4.42"]	97.0 [3.82"]
SHIM	2	0.10mm [0.004"]	112.2mm [4.42"]	97.0 [3.82"]



ARB AIR LOCKER Air Operated Locking Differentials

6.2 SHIM KIT SPECIFICATIONS						
MASTER SHIMS						
PART #	THICKNESS	OUTSIDE DIA.	INSIDE DIA.			
150305	2.5mm [0.10"]	82.5mm [3.25"]	68.3mm [2.69"]			
150306	2.5mm [0.10"]	88.5mm [3.48"]	70.5mm [2.78"]			
150320	2.5mm [0.10"]	77.7mm [3.06"]	68.3mm [2.69"]			
150325	2.5mm [0.10"]	73.2mm [2.88"]	63.1mm [2.48"]			
450000	0.5	05 0	70.00000 [2.00]			
150330	2.5mm [0.10"]	95.8mm [3.77"]	76.2mm [3.00"]			
150331	4.0mm [0.16"]	95.8mm [3.77"]	80.0mm [3.15"]			
150331	4.0000 [0.18]	90.0mm [0.77]	00.01111 [0.10]			
150336	2.5mm [0.10"]	104.5mm [4.11"]	76.2mm [3.00"]			
100000	2.51111 [0.10]					
150341	1.0mm [0.04"]	89.8mm [3.54"]	74.3mm [2.93"]			
150342	1.5mm [0.06"]	77.7mm [3.06"]	63.2mm [2.49"]			
150352	4.5mm [0.18"]	82.5mm [3.25"]	70.0mm [2.76"]			
150353	5.0mm [0.20"]	104.5mm [4.11"]	76.2mm [3.00"]			
150354	5.0mm [0.20"]	95.8mm [3.77"]	76.2mm [3.00"]			
150355	2.5mm [0.10"]	81.7mm [3.22"]	68.3mm [2.69"]			
450050		00 Emme [0.05"]	EQ Oreano [Q QQ"]			
150356	3.0mm [0.12"]	82.5mm [3.25"]	50.0mm [2.00"]			
450057	4.0	104 5mm [4 11"]	90 0mm [2 15"]			
150357	4.0mm [0.16"]	104.5mm [4.11"]	80.0mm [3.15"]			

