

# AIR SYSTEMS MASTER CATALOGUE



### AIR SUPPLY



AIR LOCKER ACTIVATION COMPRESSOR, 12-VOLT

CKSA12

This compact compressor is specifically designed for Air Locker activation.



## TWIN ON-BOARD COMPRESSOR, BRUSHED, 12-VOLT

CKMTA12

Double the size of the CKMA12, this compressor provides double the performance from its proven brushed motors.



# TWIN PORTABLE COMPRESSOR, BRUSHED, 24-VOLT

CKMTP24

Larger in size and with double the output, this brushed compressor suits 24-volt applications and is completely portable. It includes an inflation hose and accessories as well as an Air Tank for supporting air tools and fast inflation times.



# SINGLE ON-BOARD COMPRESSOR, BRUSHED, 12-VOLT

CKMA12

Compact in size and with high output, this brushed compressor suits many applications with space limitations.



## TWIN ON-BOARD COMPRESSOR, BRUSHED, 24-VOLT

CKMTA24

Equivalent in size and performance to the CKMTP12, this mountable compressor caters to 24-volt electrical systems.



# SINGLE ON-BOARD COMPRESSOR, BRUSHLESS, 12-VOLT

CKBLA12

Compact in size and with 50% increased output over its brushed motor equivalent, this brushless compressor suits many applications with space limitations.

With many additional enhancements, this provides customers with a higher performing option over the brushed single compressor range.



# SINGLE PORTABLE COMPRESSOR, BRUSHED, 12-VOLT

CKMP12

Compact in size and with high output, this brushed compressor suits many applications and is completely portable. It includes an inflation hose and accessories.



## TWIN PORTABLE COMPRESSOR, BRUSHED, 12-VOLT

CKMTP12

Larger in size and with double the output, this brushed compressor suits many applications and is completely portable. It includes an inflation hose and accessories as well as an Air Tank for supporting air tools and fast inflation times.



# SINGLE PORTABLE COMPRESSOR, BRUSHLESS, 12-VOLT

CKBLP12

Compact in size and with 50% increased output over its brushed motor equivalent, this brushed compressor suits many applications and is completely portable. It includes an inflation hose and accessories.



#### AIR SUPPLY



#### TWIN ON-BOARD COMPRESSOR, **BRUSHLESS, 12-VOLT**

CKBLTA12

With 50% increased output over its brushed motor equivalent, this brushless compressor suits many applications where performance is priority number one.

With many additional enhancements, this provides customers with a higher performing option over the brushed compressor range as well as being lighter and smaller than the CKMTA12 brushed compressor.



#### TWIN PORTABLE COMPRESSOR, **BRUSHLESS, 12-VOLT**

CKBLTP12

Larger in size and with 50% more output than its brushed equivalent, this brushless compressor suits many applications and is completely portable. It includes inflation hose and accessories as well as an Air Tank for supporting air tools and fast inflation times.

## AIR CONTROL & MONITORING



#### LINX VEHICLE ACCESSORY INTERFACE LX110

Complete vehicle accessory monitoring, programming and control of:

- Fridges
- · Air systems
- · Air Locker
- · Tyre pressure monitoring
- · Battery and charging
- · Lights
- · 12-volt accessories



#### LINX AIR SUSPENSION ISOLATION KIT

7450109

Gives you the hardware to be able to control left and right air bags separately via LINX.



#### LINX PRESSURE CONTROL KIT

7450107

Provides complete pressure control for tyre inflation and for inflating accessories via LINX, or max pressure for the use of a blow gun.

## AIR CONTROL & MONITORING



# TYRE PRESSURE MONITORING SYSTEM COMMUNICATIONS BOX - BLUETOOTH MODULE

7450116

Required to talk between the ARB TPMS sensors in the wheels and the LINX controller unit to allow the interpretation and transmission of the data.



# LINX TPMS COMMUNICATIONS BOX REPEATER

7450120

When a vehicle struggles to transmit consistent signals from the TPMS sensors to the TPMS Communications Box, this Repeater amplifies it to the Comms Box to increase signal strength and reliability.



#### PRESSURE CONTROL KIT – STANDALONE APP-CONTROLLED

0830004

Controls pressure to provide complete control for tyre inflation and for inflating accessories.



# AIR SUSPENSION CONTROL KIT - STANDALONE APP-CONTROLLED

0830002

Provides pressure control for the inflation and deflation of any air bag via your smartphone.



#### AIR LOCKER SWITCH PATCH HARNESS

180442

A harness used to instal in-cab Air Locker switches in addition to existing 12-volt air compressor switches.

Works with Upfitter OE switches such as in the Ford Ranger MY22+.



#### **TYRE PRESSURE MONITOR**

819105

A 12-volt TPMS display utilising a vehicle's round 12-volt accessory socket.

Monitors up to nine tyres with tyre pressure alarms and has both on and off road modes.



#### INTERNAL TPMS SENSORS (FIVE) 819103A

A pack of five internal TPMS sensors that can be used both with LINX (LX11) or the Tyre Pressure Monitor (819105).



#### INTERNAL TPMS SENSORS (TWO)

819106A

A pack of two internal TPMS sensors that can be used both with LINX (LX11) or the Tyre Pressure Monitor (819105).



#### EXTERNAL TPMS SENSORS (FOUR)

819104

A pack of four external TPMS sensors that can be used both with LINX (LX11) or the Tyre Pressure Monitor (819105).

Comes with a replaceable button battery.



## AIR CONTROL & MONITORING



#### EXTERNAL TPMS SENSORS (TWO)

819107

A pack of two external TPMS sensors that can be used both with LINX (LX11) or the Tyre Pressure Monitor (819105).

Comes with a replaceable button battery.



#### **EXTERNAL TPMS SENSOR (ONE)**

820007

A single external TPMS sensor that can be used both with LINX (LX11) or the Tyre Pressure Monitor (819105).

Comes with a replaceable button battery.



#### EXTERNAL TPMS SENSOR TOOL KIT

820008

Provides two tools for opening the TPMS sensor to change the battery and for tightening or loosening the security valve ring.



#### TPMS TRAILER REPEATER

819108

When monitoring a trailer with your ARB TPMS system, the Trailer Repeater helps boost the signal and pair the trailer specifically to the trailer mode. Powered off two replaceable batteries or the Power Kit.

Note: this is not required when using LINX (LX110).



#### TPMS TRAILER REPEATER POWER KIT

819109

12-volt hard wired power kit for the TPMS Trailer Repeater (819108).



#### AIR BAG PURGE CONTROL KIT

OMEABKO01

In conjunction with LINX or Air Suspension Control Kit control kit (0830002), you can remotely open and close the purge valves in the Old Man Emu Air Bag System to control venting of the air bags at any time.



## TYRE INFLATOR WITH DIGITAL GAUGE ARB601

- · 0-200psi reading
- · Digital display with protection boot
- · ARB quick-connect chuck
- · Deflation functionality



## TYRE INFLATOR WITH ANALOGUE GAUGE

ARB605A

- · 0-60psi reading
- Analogue mechanical gauge with protection boot
- ARB quick-connect chuck
- · Deflation functionality



#### **ARB E-Z DEFLATOR PSI GAUGE**

ARB505

- · 0-60psi reading
- · Fast deflation via valve core removal
- Analogue mechanical gauge with protection boot



## AIR CONTROL & MONITORING



#### ARB E-Z DEFLATOR DIGITAL GAUGE ARB510

- · 0-200psi reading
- · Fast deflation via valve core removal
- · Digital display with protection boot



#### **INFLATION CASE**

ARB4297

Storage for:

- · Two seven-metre air hoses
- · One inflator gauge
- · One deflator gauge
- · One air accessory kit
- · One blow gun



#### **7M HOSE KIT**

171301V2

A high temperature-resistant seven-metre air hose suitable for ARB's complete compressor range with a working pressure up to 150psi.



#### ARB E-Z DEFLATOR PSI/BAR ANALOGUE GAUGE

ARB600

- · 60psi / 4 bar reading
- Fast deflation via valve core removal
- Analogue mechanical gauge with protection boot



#### INFLATOR - 185MM PUSH-ON (ANGLED DUAL HEAD)

ARB606

An extended, angled inflation chuck that connects to an ARB hose and connects onto the tyre valve.



#### **7M PUMP UP KIT**

171302V2

A complete air accessory kit with a high temperature-resistant seven-metre air hose suitable for ARB's complete compressor range with a working pressure up to 150psi. Also includes ARB's exclusive quick-connect tyre inflation chuck and air hose coupling plus various air accessory inflation adaptors.



#### ARB AIR PRESSURE GAUGE PSI/BAR

ARB506

- · 70psi / 5 bar reading
- · Tyre pressure checker
- Analogue mechanical gauge with protection boot
- · Deflation functionality



#### **INFLATOR - CLIP-ON (ANGLED)**

ARB607

A short, angled inflation chuck that connects to an ARB hose and clips onto the tyre valve.



#### INFLATION ACCESSORY KIT

171328

Includes ARB's exclusive quick-connect tyre inflation chuck, accompanied by a tyre bead seating fitting and inflation adaptor for balls and other accessories.



### **ACCESSORIES**



## **REMOTE-MOUNT HOSE COUPLING KIT** 171314

Provides a kit to mount and connect a remote coupling to a braided air line.



## COMPRESSOR AIR FILTER RELOCATION KIT 1.2M

171319

Designed to relocate the air filter from an ARB compressor to a higher location away from water or for better air flow. Each kit relocates one filter (i.e. a twin compressor will require two kits).



#### **MANIFOLD KIT**

171503

Incorporates multiple ports for use with ARB's Pump Up Kit, Air Locker and air suspension solenoids plus more.



#### **4L AIR TANK**

171507

A four-litre capacity tank to store compressed air ready for use on demand. Comes with four 1/4 NPT (female) outlets and two 1/4 NPT (male) to JIC-4 adaptors.

User configurated brackets allow it to be mounted four different ways.



#### **AIR TANK ADAPTOR BRACKET**

0830003

A bracket kit that adapts the current ARB Air Tank (171507) to previous mount designs.



# COMPRESSOR BLOW GUN - US INDUSTRIAL (M)

0740108

Compressed air blow gun used in conjunction with your ARB compressor for cleaning and drying a wide variety of items.



# HOSE COUPLING US INDUSTRIAL TO JIC-4 (M)

0740111

A hose coupling to access compressed air with an ARB air hose.

Fits into a braided hose, or fitting, using a JIC-4 male thread.



## HOSE COUPLING US INDUSTRIAL TO 1/4 NPT (M)

0740112

A hose coupling to access compressed air with an ARB air hose.

Fits into Manifold Kit (171503) using a 1/4 NPT male thread.



#### **DUST CAP FOR HOSE COUPLING**

0740113

A cap to prevent dust ingress into the Air Coupling outlet.



## **ACCESSORIES**



**DIFFERENTIAL BREATHER KIT** 

170112

Allows venting of the air pressure in drivetrain assemblies such as the differential, transmission and transfer cases while raising the intake to prevent water intrusion into the differential.



#### **DIFFERENTIAL BREATHER EXTENSION KIT**

170113

Use to replace or add additional air lines to the Differential Breather Kit (170112).



#### **UNIVERSAL HIGH-CURRENT COMPRESSOR HARNESS**

180441

100-amp high-current power harness engineered specifically for installations where the ARB twin compressor is located far from the battery source.

# FITTINGS & PLUMBING













ADAPTOR - 1/4 NPT (M) TO JIC-4 (M) 0740101

Two per pack

ADAPTOR - JIC-4 (M) TO JIC-4 (M) 0740102

Two per pack

ADAPTOR - T-FITTING JIC-4 (M)


0740103 Two per pack











0740104

Two per pack



ADAPTOR - 1/8 BSP (M) TO JIC-4 (M) 0740105

Two per pack



#### ADAPTOR - T-FITTING 1/4 NPT (M/F/F)

0740106

Two per pack



## FITTINGS & PLUMBING











ADAPTOR - US INDUSTRIAL (M) TO 1/4 NPT (M)

0740107

Two per pack

**45° ELBOW – JIC-4 (M) TO JIC-4 (F)** 0740109

Two per pack

90° ELBOW - JIC-4 (M) TO 1/4NPT (M)

0740110

Two per pack



#### **BRAIDED HOSE (VARIOUS)**

High-flow stainless steel braided air hose available in multiple lengths:

0740200 Braided hose JIC-4 (F/F) 0.2m 0740201 Braided hose JIC-4 (F/F) 0.3m 0740202 Braided hose JIC-4 (F/F) 0.5m 0740203 Braided hose JIC-4 (F/F) 1.0m 0740204 Braided hose JIC-4 (F/F) 1.5m 0740205 Braided hose JIC-4 (F/F) 2.0m 0740206 Braided hose JIC-4 (F/F) 3.0m



#### 1/8 BSP (M) TO 1/4" PUSH-IN (F)

0740114

Two per pack



#### HEAVY-DUTY PRESSURE LINE KIT

0740300

A single existing or new Air Locker to use braided hoses for air supply, instead of the standard six-millimetre plastic air line.



#### **AIR LOCKER 6MM HOSE KIT**

171321

Used to repair an Air Locker six-millimetre air line in field or upgrade an older generation Air Locker from the original five-millimetre blue hose.

## SWITCH/COUPLING MOUNTS



## SWITCH & HOSE COUPLING BRACKET, RECESSED

3501050


Provides a recessed mount for an Air Coupling outlet and a single switch in a black powder-coated finish.



## HOSE COUPLING BRACKET, DEEP RECESSED

3501051

Provides a recessed mount for an Air Coupling outlet in a black powder-coated finish.



#### SWITCH BRACKET, DEEP RECESSED

3501052

Provides a recessed mount for a single switch in a black powder-coated finish.



## SWITCH & HOSE COUPLING BRACKET, FLUSH

3501055

Provides a flat mount for an Air Coupling outlet and a single switch in a black powder-coated finish.



# UNIVERSAL SWITCH MOUNT BRACKET, 1 DEEP RECESSED MOUNT

3501053

Caters for one switch.

Provided with both powder-coated black and stainless steel silver face plates.



# UNIVERSAL SWITCH MOUNT BRACKET, 2 DEEP RECESSED MOUNTS

3501054

Caters for two switches.

Provided with both powder-coated black and stainless steel silver face plates.



# UNIVERSAL SWITCH MOUNT BRACKET, 3 DEEP RECESSED MOUNTS

3501056

Caters for three switches.

Provided with both powder-coated black and stainless steel silver face plates.



#### SINGLE SWITCH BRACKET

ALSB1

Single-gang switch bracket suitable for use with the switches supplied with ARB Air Lockers and vehicle-mounted compressors.



#### SINGLE SWITCH BRACKET

ALSB2

Double-gang switch bracket suitable for use with the switches supplied with ARB Air Lockers and vehicle-mounted compressors.



## SWITCH/COUPLING MOUNTS



#### TRIPLE SWITCH BRACKET

ALSB3

Triple-gang switch bracket suitable for use with the switches supplied with ARB Air Lockers and vehicle-mounted compressors.

## AIR COMPRESSOR MOUNTS



#### UNIVERSAL COMPRESSOR MOUNT

3501010

Suits CKSA, CKMA, CKMTA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.



## TOYOTA PRADO 150 7 SEAT COMPRESSOR MOUNT

3521090

Suits CKSA, CKMA, CKMTA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

Allows fitment of the 4L Air Tank.



#### TOYOTA LANDCRUISER 76/78/79 2007+ COMPRESSOR MOUNT

3512080

Suits CKSA, CKMA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.



## TOYOTA HILUX 2015+ COMPRESSOR MOUNT

3514111

Suits CKSA, CKMA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

Includes mount to suit ARB switch and Air Coupling.



## TOYOTA LANDCRUISER 200 SERIES COMPRESSOR MOUNT

3515130

Suits CKSA, CKMA, CKMTA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

Allows fitment of the 4L Air Tank, Manifold Kit and solenoids. Includes a mount for an ARB switch and Air Coupling.



## AIR COMPRESSOR MOUNTS



## TOYOTA LANDCRUISER 300 SERIES COMPRESSOR MOUNT

3525030

Suits CKMA, CKMTA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

Allows fitment of the 4L Air Tank, Manifold Kit and solenoids. Includes a mount for an ARB switch and Air Coupling.



# JEEP WRANGLER JL/JEEP GLADIATOR JT COMPRESSOR MOUNT

3550220

Suits CKSA, CKMA, CKMTA air compressors Provides a strong and durable location to mount an ARB compressor in vehicle.

Allows fitment of the 4L Air Tank, Manifold Kit and solenoids.

Includes a mount for an ARB switch and Air Coupling.



## NISSAN PATROL Y62 COMPRESSOR MOUNT

3527070

Suits CKSA, CKMA, CKMTA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

Allows fitment of the 4L Air Tank, Manifold Kit and solenoids. Includes a mount for an ARB switch and Air Coupling.



## FORD RANGER PX SERIES COMPRESSOR MOUNT

3540320

Suits CKSA, CKMA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

Includes mount to suit ARB switch and Air Coupling.



# JEEP WRANGLER JK COMPRESSOR MOUNT

3550210

Suits CKSA, CKMA, CKMTA air compressors.

Provides a strong and durable location to mount an ARB compressor in vehicle.

